

WORLD OF

FABRICS





INTRODUCTION



Response fabrics pvt ltd manufactures fabrics in India incorporates in the year 2004. The company is an ISO 9001 certified. We create world-class design fabrics suited for corporate offices, commercial and the hospitality sector. We also manufacture fabrics for office workstations, modular furniture, wall panelling, loose furniture, sofas, multiplex/ auditorium wall panels, chairs and recliners. These fabrics are produced in our state with the art manufacturing facilities.

Recently, we have started manufacturing
Leatherite, commonly known as Rexine. Response
fabrics offer you all types of qualities in artificial
leather. We offer you a wide range of Leatherite
that can be used in offices, sofas, chairs, cinema
halls, auditorium, automobiles, jackets
and many more.

Our product portfolio includes high-quality Crepes, Poly recycled cotton, Dobby, Mesh, polyester Leatherite, Jacquard, Jute, Knitted, Printed and PP spun bond non-woven fabrics etc. Fabrics for the world's best offices!



VISION

Our vision is to involve ourselves responsibly, efficiently and profitably in the global textile industry. More importantly, to attain customer satisfaction by providing the best of our products by emphasising on the best quality, innovation, possessing highly empowered and skilled employees keeping in mind to create an eco-friendly atmosphere.

MISSION

Response fabrics Pvt. Ltd is to be a pioneer in this everchanging textile industry. The purpose is to serve our customers with immense dedication and offer them services above their expectations. To achieve 100% customer satisfaction through timely deliveries with zero defects.

If you cannot find what you are looking for in our standard catalogue, then we can offer custom made services in various designs/colour and will be at your disposal to discuss your special requirement. We maintain a substantial stock of about 700 SKU'S (Stock keeping unit). If for some reason, our products are out of stock, we commit to deliver the standard stock items within a short period.

Our USP is that we accept orders for required quantity as well.









We are Manufacturer of:

Antimicrobial Fabrics

Workstation Fabrics

Artificial Leather

Auditorium Fabric

Acoustic Fabrics

Office Chair

Hospitality Fabric

Upholstery Fabric



Anti-static



Stain repellent



retardant (IFR)



Biodegradable

Customisation can be done according to the requirement



ANY THICKNESS



ANY COLOUR




ANY BACKING



FIRE RETARDANT








































TECHNICAL SPECIFICATION







Composition	PVC
Weight	600 grams per liner meter ± 5%
Width	140 cms/55" ± 2%
Flexing Test	20,000 Cycles
Abrasion Resistance	50,000 Cycles(Martindale : ISO 12947-2:1988)
Fastness To Rubbing	Dry : 4-5 & Wet : 4
Maintenance	DO NOT USE ABRASIVE CLEANER
Colour Matching	Batch to batch Variations in shade may occur within commercial tolerances.
Fire Retardant	BS EN 1021-1:1994 (CIGARETTE TEST) PASS BS EN 1021-2:1994 (MATCH FLAME TEST) PASS





































CHICAGO





Composition	PVC
Weight	980 grams/ linear metre + 5%
Width	140 cms
Abrasion	90,000 cycles
Maintenance	Professional Cleaning is recommended
Light Fastness	5
Fastness to rubbing	Wet :4 Dry:4-5
Usage	Upholstery, Acoustic auditorium seatings, Modular furniture
Colour matching	Batch to batch variations in shade may occur within commercial tolerances.






























































EDEN LEATHERITE





Composition	PVC
Weight	654 grams per liner meter ± 5%
Width	137 cms/54" ± 2%
Fastness To Light	5 (ISO: 105-B02, 2000)
Fastness To Rubbing	Dry: 4-5 & Wet: 4-5 (IS:766;1988 REAFFIRMED 2004)
Maintenance	DO NOT USE ABRASIVE CLEANER
Colour Matching	Batch to batch Variations in shade may be occur within commercial tolerances.
Fire Retardant	BS EN 1021-1:1994 (CIGARETTE TEST) PASS BS EN 1021-2:1994 (MATCH FLAME TEST) PASS
































NAWAZO LEATHERLITE





Composition	PVC
Weight	650 grams per liner meter ± 5%
Width	137 cms/54" ± 2%
Fastness To Light	5 (ISO: 105-B02, 2000)
Fastness To Rubbing	Dry: 4-5 & Wet: 4-5 (IS-766;1988 REAFFIRMED 2004)
Maintenance	DO NOT USE ABRASIVE CLEANER
Colour Matching	Batch to batch Variations in shade may be occur within commercial tolerances.









































ORCHID LEATHERITE





Weight	650 grams per liner meter ± 5%
Width	140 cms/ ± 2%
Fastness To Rubbing	Wet : 4 & Dry : 4-5
Maintenance	DO NOT USE ABRASIVE CLEANER
Colour Matching	Batch to batch Variations in shade may occur within commercial tolerances.





Uttar Pradesh - 201003, India.





































SO312 WHITE







STYLO LEATHERITE





Weight 650 grams per liner meter ± 5%

Width 140 cms/ \pm 2%

Fastness To Rubbing Wet: 4 & Dry: 4-5

Maintenance DO NOT USE ABRASIVE CLEANER

Colour MatchingBatch to batch Variations in shade may occur within commercial tolerances.





Uttar Pradesh – 201003, India.

























SL506 WHITE







SUPREME LEATHERITE





PVC
650 grams per liner meter ± 5%
140 cms/55" ± 2%
80,000 Cycles
80,000 Cycles (Martindale : ISO12947-2:1988)
Dry: 4-5 & Wet: 4 (IS:766;1988 REAFFIRMED 2004)
DO NOT USE ABRASIVE CLEANER
Batch to Batch Variations in shade may be occur within commercial tolerances.
BS EN 1021-1:1994 (CIGARETTE TEST) PASS BS EN 1021-2:1994 (MATCH FLAME TEST) PASS





